

## Plug-in module - RIF-RC-48-60 UC - 2900950

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Plug-in module, for mounting on RIF-1, RIF-2, RIF-3, and RIF-4, with RC element, input voltage: 48 - 60 V AC/DC  $\pm 20\%$



### Key Commercial Data

Packing unit	10 STK
GTIN	
GTIN	4046356733298

### Technical data

#### Input data

Input voltage range	48 V AC/DC ... 60 V AC/DC $\pm 20\%$
Protective circuit/component	RC element

#### Standards and Regulations

Connection in acc. with standard	CSA
----------------------------------	-----

#### Environmental Product Compliance

China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

### Approvals

#### Approvals

#### Approvals

UL Recognized / CSA / EAC / GL / LR / PRS







# Plug-in module - RIF-RC-48-60 UC - 2900950

## Approvals

Ex Approvals

---

### Approval details

UL Recognized		<a href="http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm">http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm</a>	FILE E 113228
CSA		<a href="http://www.csagroup.org/services/testing-and-certification/certified-product-listing/">http://www.csagroup.org/services/testing-and-certification/certified-product-listing/</a>	2607057
EAC			RU C- DE.A*30.B.01082
GL		<a href="http://exchange.dnv.com/tari/">http://exchange.dnv.com/tari/</a>	11247-14 HH
LR		<a href="http://www.lr.org/en">http://www.lr.org/en</a>	15/20011
PRS		<a href="http://www.prs.pl/">http://www.prs.pl/</a>	TE/2108/880590/16

---

Phoenix Contact 2017 © - all rights reserved  
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstr. 8  
32825 Blomberg  
Germany  
Tel. +49 5235 300  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.com>