NOTES:

I. MATERIALS AND FINISHES:

HEX NUT - BRASS, NICKEL PLATING LOCK WASHER - BRASS, NICKEL PLATING - BRASS, NICKEL PLATING

CONTACT - BRASS & PHOSPHOR BRONZE, GOLD PLATING

INSULATOR - PBT, WHITE

2. ELECTRICAL:


A. DIELECTRIC WITHSTANDING VOLTAGE: 1500 VRMS, MIN.


3. MECHANICAL:

A. TEMPERATURE RANGE: -40°C TO 60°C

B. INSULATORS MUST WITHSTAND A 2 IN-LBS MIN. TORQUE

4. INTERFACE PER 349-50551 SEC.102 AFTER ASSEMBLY.





THIRD ANGLE PROJ. ⊕ ⊖

8,85±0,1



DATE

31 - May - 07


ECO


APPR


GRS

SCALE 2.000









REVISIONS

DESCRIPTION

INITIAL RELEASE

CUSTOMER OUTLINE DRAWING

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE:
<0.5mm 0.5 - 6mm 6 - 30mm 30 - 120mm ANGLES
\pm 0.05mm \pm 0.1mm \pm 0.2mm \pm 0.3mm \pm 1
NOTICE - These drawings, specifications, or other data (I) are, and remain the
property of Amphenol corp. (2) must be returned upon request; and (3) are
confidential and not to be disclosed to any person other than those to whom they
are given by Amphenol Corp. the furnishing of these drawings, specifications, or
other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting
rights to permitting such holder or any other person to manufacture, use or sell any
product, process or design, patented or otherwise, that may in any way be related to
or disclosed by said drawings, specifications, or other data.

DRAWN M.ZHANG	DATE 6-Mar- 6	Τ
ENGINEER S.HSIEH	DATE 06 - Jan - 09	
APPROVED S.HSIEH	DATE 16-Mar-16	SC
CAD FILE		
	M. ZHANG ENGINEER S. HSIEH APPROVED S. HSIEH	M. ZHANG 16-Mar-16 ENGINEER DATE S. HSIEH 06-Jan-09 APPROVED DATE S. HSIEH 16-Mar-16

ILŁ			
BNC	TWIN	BULKHI	EAD
RECE	PT.	JACK	

SCALE:	5.0:1.0	SHEET	2	OF 2	
DWG SIZE				REV	
В				D	

Ampheno		RF
---------	--	----

www.amphenolrf.com

DRAWI	NG	NO.TWB6351B1-NPB3G	
ITEM	NO.	246351AAA01MA0F	
PART	NO.	162109	