HellermannTyton

Specification Sheet

Part Number: RJ45FC6AS12



Category 6A Shielded Modular Jack Bulk Pack, Stainless Steel, 12/box

| Article Number | 852-40002 |
|---------------------|---|
| Туре | KSJ08SC6A-12 |
| Color | Mill Finish (MLFS) |
| Features & Benefits | • Deca10 Keystone Jack has been uniquely designed adopting HellermannTyton's globally tried and tested 10-Pin technology which guarantees superior performance and connectivity. • Deca10 Category 6A system offers backward compatibility with Category 6, Category 5e, Category 5 and voice products. • Tested to exceed ISO/EIA 11801:2002 amendment 1.1 and ANSI/TIA/EIA 568 - C.2. |
| Product Description | The Deca ¹⁰ Category 6A Keystone Jack utilises HellermannTyton's patented 10-pin technology to deliver superior Category 6A performance and is part of the HellermannTyton Deca ¹⁰ Copper Solution which has been designed to provide a complete shielded solution. The keystone jack is compatible with the Modular FTP Patch Panels and the HellermannTyton Angled Outlets providing an end to end shielded Category 6A solution. The Deca ¹⁰ Category 6A products are designed to support any data or voice protocol that is capable of utilising a Category 6A cabling system. |

| Short Description | Category 6A Shielded Modular Jack Bulk Pack, Stainless Steel, 12/box |
|-----------------------|--|
| Global Part Name | KSJ08SC6A-12 |
| Technical Description | Category 6a Shielded Modular Jack Bulk Pack, Stainless Steel |
| | |
| Port Count | 1 |
| | |

| Width W (Imperial) | 0.63 |
|---------------------|------|
| Width W (Metric) | 16.0 |
| Height H (Imperial) | 0.91 |
| Height H (Metric) | 23.0 |
| Depth D (imperial) | 1.42 |
| Depth D (metric) | 36.0 |

| Package Quantity(Imperial) | 12 |
|----------------------------|------------|
| Package Quantity (Metric) | 12 |
| Customs Number | 9030400000 |
| Weight (Metric) | 0.312 |

 $\ensuremath{\mathbb{C}}$ 2018 HellermannTyton. All rights reserved.

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions